



### STEP 1:

Make sure seed tubes are clear using an air hose.



### STEP 2:

Determine number of times to turn drive wheel for 150 ft of drill travel.



### STEP 3:

Disconnect seed tubes and place bags on tubes using rubber bands.

### STEP 4:

Using the table below, determine grams of seed to catch per disk opener. See example below.

Distance between disk openers (inches)	Seeding rate in pounds/acre																						
	2	4	6	8	10	12	14	16	18	20	25	30	35	40	50	60	80	90	100	120	140	160	180
6	1.6	3.1	4.7	6.3	7.8	9.4	10.9	12.5	14.1	15.6	19.5	23.5	27.4	31.3	39.1	46.9	62.5	70.4	78.2	93.8	109.4	125.1	140.7
7	1.8	3.6	5.5	7.3	9.1	10.9	12.8	14.6	16.4	18.2	22.8	27.3	31.9	36.5	45.6	54.7	72.9	82.0	91.1	109.4	127.6	145.8	164.1
7.5	2.0	3.9	5.9	7.8	9.8	11.7	13.7	15.6	17.6	19.5	24.4	29.3	34.2	39.1	48.9	58.6	78.2	87.9	97.7	117.3	136.8	156.3	175.9
8	2.1	4.2	6.3	8.3	10.4	12.5	14.6	16.7	18.8	20.9	26.1	31.3	36.5	41.7	52.1	62.6	83.4	93.8	104.3	125.1	146.0	166.8	187.7



### STEP 5:

Turn drive wheel to collect seed.



### STEP 6:

Weigh seed.